



FOR THE WAY YOU LIVE.

MODEL N° 80215

***OWNER'S MANUAL***

Keep this Identification Number in case you must contact our Customer Service Department.

## REGISTER YOUR LIFETIME PRODUCT TODAY!

There are benefits to registering your Lifetime product. With our new online product registration form, it's fast and easy! Register with us at [www.lifetime.com](http://www.lifetime.com) and enjoy these great benefits:

- Receive exclusive money-saving offers from BuyLifetime.com, our online store, as well as NEW product notifications and special closeout promotions!
- In the unlikely event of a product recall or safety modification, we will notify you.
- Registering your product guarantees you warranty service. If you do not register your product, your warranty rights will not be diminished. But you will need to provide a sales receipt to verify your product purchase date before warranty service will be provided.

### LIFETIME'S PROMISE TO YOU:

*Maintaining your privacy is our long-standing policy at Lifetime. And you can rest assured that Lifetime will not sell or provide your personal data to other third parties, or allow them to use your personal data for their own purposes.*

We invite you to read our privacy policy at [www.lifetime.com](http://www.lifetime.com)

**REGISTER today!**

**\*\*U.S. and Canada customers ONLY\*\***

IF ASSISTANCE IS NEEDED,

**DO NOT CONTACT THE STORE!**

**CALL OUR CUSTOMER SERVICE DEPARTMENT at 1 (800) 225-3865**

HOURS: 7:00 a.m. to 5:00 p.m. Monday through Friday (Mountain Standard Time)

\*\*Call, or visit our Web site for Saturday hours\*\*

\*\*For customers outside the U.S. or Canada, please contact the store for assistance.\*\*



## SAFETY INSTRUCTIONS



**FAILURE TO FOLLOW THESE WARNINGS MAY RESULT IN SERIOUS INJURY OR PROPERTY DAMAGE AND WILL VOID WARRANTY.**

To ensure safety, do not attempt to assemble this system without following the instructions carefully. Check entire box and inside all packing material for parts and/or additional instruction material. Before beginning assembly, read the instructions and identify parts using the hardware identifier and parts list in this document. Proper and complete assembly, use and supervision are essential for proper orientation and to reduce the risk of accident or injury. A high probability of serious injury exists if this system is not installed, maintained, and/or operated properly.

- Two capable adults are recommended for assembly.
- Follow any and all warnings and cautions carefully.
- Assemble on level ground.
- Check all nuts and screws for tightness before and during the usage season.

***Most injuries are caused by misuse and/or not following instructions. Use caution when using this system.***


STOP!

## ***BEFORE BEGINNING ASSEMBLY***

STOP!



Keep the hardware bags and their contents separate. If any parts are missing, call our Customer Service Department.




***\*TWO ADULTS REQUIRED TO COMPLETE ASSEMBLY\****



### ***TOOLS REQUIRED FOR THIS ASSEMBLY***

Phillips Screwdriver



(1)

Safety Glasses



(1 pair for each person)


## ASSEMBLY GUIDES

*Refer to the following areas throughout the instructions to assist in the assembly process:*


This area is located at the top, left-hand corner of the page and indicates which tools and hardware are needed to complete the assembly steps on a page.



**TOOLS AND HARDWARE REQUIRED FOR THIS PAGE**



This area is located at the top, right-hand corner of the page and shows an image of the product with shaded parts indicating which section is being assembled.



This area is usually located in the bottom, left-hand corner of a step and indicates that special attention is needed to perform a particular part of a step.



*Note:*

These areas are usually located in the bottom, right-hand corner of a step and indicate that damage to the product or serious injury may occur if the caution or warning is not heeded.



**CAUTION**



**WARNING**


## PARTS LIST

ID	Item Description	Qty	✓
BAC	Table Top Assembly	1	<input type="checkbox"/>
BAD	Bench Assembly	2	<input type="checkbox"/>
BAE	Table Leg Assembly	2	<input type="checkbox"/>
BAF	Brace Assembly	2	<input type="checkbox"/>
BAG	Leg Latch	2	<input type="checkbox"/>
BAH	Bushing (Attached)	4	<input type="checkbox"/>
BBZ	Plug, Umbrella Hole	1	<input type="checkbox"/>

## PARTS IDENTIFIER

### PART ILLUSTRATIONS

All parts are shown at 5% scale (\*unless otherwise noted)




**BAC (x1)**  
Table Top Assembly

**BAD (x2)**  
Bench Assembly


**BAE (x2)**  
Table Leg Assembly




**BAG (x2)\***  
Leg Latch



**BAF (x2)\***  
Brace Assembly



**BAH (x4)\***  
Bushing (Attached)





**BBZ (x1)\***  
Plug, Umbrella Hole

**!** *Note: Ensure Bushings (BAH) are inserted into Brace Assemblies (BAF).*

1.




## TOOLS AND HARDWARE REQUIRED FOR THIS PAGE



REMOVE HARDWARE FROM J-CHANNEL


SEC 1



SEC

1.1


Place the **Table Top Assembly (BAC)** upside-down on the floor or a table.



SEC

1.2


Remove one of the **J-Channels** from the Table Top by removing the Screws that hold the J-Channel in place.



*Note: Save the Screws for use later in the assembly.*




## TOOLS AND HARDWARE REQUIRED FOR THIS PAGE



NO HARDWARE REQUIRED ON THIS PAGE

SEC 1


1.



SEC

1.3

Slide a **Leg Latch (BAG)** over the Brace Cross Tube of the **Brace Assembly (BAF)** as shown. Repeat this step for the second **Brace Assembly**.




SEC

1.4

**\*\*TWO ADULTS REQUIRED FOR THIS STEP\*\***

Insert both Leg Latches into the J-Channel that is still connected to the Table Top. The Leg Latches should be facing down shown. Connect the J-Channel removed in step 1.2 to the Leg Latches.





*Note: Do not put the J-Channel on upside down. Refer to the installed J-Channel for the correct orientation.*

1.




### TOOLS AND HARDWARE REQUIRED FOR THIS PAGE



USE HARDWARE TAKEN FROM J-CHANNEL

SEC 1




SEC

1.5

#### \*\*TWO ADULTS REQUIRED FOR THIS STEP\*\*


Place J-Channel back into the Table Top. Ensure the J-Channel fits into the groove in the Table. Insert Screws back into each hole in the J-Channel. Attach the Screw in the middle of the J-Channel first. Use the same holes in the Table from which the Screws were removed. Tighten the Screws only until the head of the Screw makes contact with the J-Channel.



SEC



1.6

Rotate the **Brace Assemblies (BAF)** up as shown.






## TOOLS AND HARDWARE REQUIRED FOR THIS PAGE



### REMOVE HARDWARE FROM J-CHANNEL

SEC 1


1.




SEC

1.7

Insert the **Table Leg Assemblies (BAE)** into the **Brace Assemblies (BAF)**. Before inserting the Legs, ensure the plastic locating pin in the Bushing sticks through the hole in the Braces Assemblies (Detail 1). Ensure the Push-buttons in the Table Leg Assemblies snap into the holes in the Brace Assemblies. If the Push-buttons are facing the wrong direction, re-insert them correctly.




Detail 1



SEC

1.8

Remove one J-Channel from a **Bench Assembly (BAD)** by removing the Screws that hold the J-Channel in place.




*Note: Save the Screws for use later in the assembly.*

1.




## TOOLS AND HARDWARE REQUIRED FOR THIS PAGE



USE HARDWARE TAKEN FROM J-CHANNEL

SEC 1





SEC

1.9

### \*\*TWO ADULTS REQUIRED FOR THIS STEP\*\*

Place the J-Channel onto the tubes of the **Table Leg Assembly (BAE)** as shown. Tilt the Bench and insert the other J-Channel (attached to the Bench) onto the Table Leg Assembly.




*Note: Do not put the J-Channel on upside down. Refer to the installed J-Channel for the correct orientation.*

SEC

1.10


### \*\*TWO ADULTS REQUIRED FOR THIS STEP\*\*

Place the J-Channel back into the Bench. Ensure the J-Channel fits into the groove in the Bench. Insert the Screws back into each hole in the J-Channel. Attach the Screw in the middle of the J-Channel first. Use the same holes in the Bench from which the Screws were removed. Tighten the Screws only until the head of the Screw makes contact with the J-Channel. **Repeat Steps 1.8 through 1.10 to attach the other Bench.**






## TOOLS AND HARDWARE REQUIRED FOR THIS PAGE



NO HARDWARE REQUIRED ON THIS PAGE

SEC 1

1.





**\*\*TWO ADULTS REQUIRED FOR THIS STEP\*\***

SEC

1.11

Set the Table upright.



SEC




1.12

To prevent the **Leg Latches (BAG)** from dangling when the Table is set up (Figure 1), slide the Latches toward the ends of the table (Figure 2) so they are in the position shown in Figure 3. If you have an umbrella, insert it through the hole in the Table Top, or insert the **Umbrella Hole Plug (BBZ)** to cover the hole.

Figure 1

Figure 2

Figure 3




**CAUTION**

If two or more people are sitting at the table at the same time, we recommend they sit across the table from each other to prevent possible tipping of the table.

## SET-UP INSTRUCTIONS

2. SEC  
2.1


Unfold Table legs and lock them in place.



SEC  
2.2

**\*\*TWO ADULTS REQUIRED FOR THIS STEP\*\***

Set the Table upright and lift the Table top upward until the Push-buttons lock in place.



### CAUTION

If two or more people are sitting at the table at the same time, we recommend they sit across the table from each other to prevent possible tipping of the table.


## TABLE STORAGE

SEC

3.1

**\*\*TWO ADULTS REQUIRED FOR THIS STEP\*\***

Turn Table over. Ensure Legs are in the lowest position and fold the Legs down.




3.

SEC

3.2

Secure the Legs with the Leg Latches as shown. Unhook the Latches before setting up the table.




## TABLE STORAGE

SEC  
3.3

### **\*\*TWO ADULTS REQUIRED FOR THIS STEP\*\***

Care should be taken when hanging the Table on a wall for storage. Two hooks capable of holding at least 100 pounds each are required. Securely fasten the hooks into solid framework to prevent them from coming loose and the Table from falling. For safety purposes, two people are required to hang and take down the Table to avoid any possible injuries.

3.



## CLEANING AND CARE

Congratulations on your Lifetime purchase. By following the instructions below, your new Lifetime table should provide you with years of service and enjoyment.

### CLEANING AND CARE

The polyethylene tabletop and benches are stain- and solvent-resistant. To clean, use a mild soap and a soft-bristled brush. Abrasive cleaning materials may scratch the plastic and are not recommended. Repair scratches or rust spots on the metal frame by sanding the affected area lightly; using a rust-preventative spray primer; and finally, spraying with a high-gloss spray enamel paint. Avoid placing a direct heat source on or near the table surface unless using a heat barrier.



#### WARNING



- PUSH BUTTONS AND DIAGONAL BRACES MUST ALWAYS BE IN THE LOCKED POSITION DURING USE.
- SURFACE MAY BE HOT IF LEFT IN SUN.
- DO NOT STAND ON TABLE OR BENCHES.
- FAILURE TO COMPLY WITH THESE WARNINGS COULD RESULT IN SERIOUS PERSONAL INJURY.
- THE TABLE IS ONLY TO BE SET UP AND TAKEN DOWN BY ADULTS.



#### ADVERTENCIA



- LOS BOTONES A RESORTE Y LOS SOPORTES DIAGONALES DEBEN ESTAR SIEMPRE EN LA POSICIÓN DE TRABA DURANTE EL USO DE LA UNIDAD.
- LA SUPERFICIE PUEDE ESTAR CALIENTE SI SE HA DEJADO EXPUESTA AL SOL.
- NO SE PARE SOBRE LA MESA NI SOBRE LOS BANCOS.
- EL NO RESPETAR ESTAS ADVERTENCIAS PUEDE SER CAUSA DE SERIAS LESIONES PERSONALES.
- LA MESA SOLO PUEDE SER ARMADA Y DESARMADA POR ADULTOS.



#### AVERTISSEMENT



- LES BOUTONS-POUSOIRS ET LES ARMATURES DIAGONALES DOIVENT TOUJOURS ÊTRE EN POSITION VERROUILLÉE PENDANT L'UTILISATION.
- LA SURFACE PEUT ÊTRE CHAUDE EN CAS D'EXPOSITION AU SOLEIL.
- NE PAS SE METTRE DEBOUT SUR LA TABLE OU SUR LES BANCOS LE NON RESPECT DE CES MISES EN GARDES POURRAIT ENTRAÎNER DES BLESSURES GRAVES.
- LA TABLE NE DOIT ÊTRE MONTÉE ET DÉMONTÉE QUE PAR DES ADULTES.



WATCH FOR PINCH POINTS  
ÉVITEZ LES RISQUES DE PINCEMENT  
CUÍDESE DE LOS PUNTOS DE PUNZANTES

#F020012 D

## **LIFETIME 2-YEAR LIMITED FACTORY WARRANTY**

**LIFETIME PRODUCTS, INC. RESERVES THE RIGHT TO MAKE SUBSTITUTIONS TO WARRANTY CLAIMS IF PARTS ARE UNAVAILABLE OR OBSOLETE.**

1. Lifetime Picnic Tables are warranted to the original purchaser to be free from defects in material or workmanship for a period of two years from the date of original retail purchase. The word “defects” is defined as imperfections that impair the use of the product. Defects resulting from misuse, abuse or customer negligence will void this warranty. This warranty does not cover defects due to alteration of accident. This warranty does not cover damage caused by vandalism, rusting, “acts of nature” or any other event beyond the control of the manufacturer.
2. This warranty is nontransferable and is expressly limited to the repair or replacement of defective product. If the product is defective within the terms of this warranty, Lifetime Products, Inc. will repair or replace defective parts at no cost to the purchaser. Shipping charges are not covered and are the responsibility of the purchaser.
3. This warranty does not cover scratching, scuffing or other cosmetic damage that may result from normal use of the product. In addition, defects resulting from intentional damage, customer negligence or unreasonable use will void this warranty.
4. Liability for incidental or consequential damages is excluded to the extent permitted by law. While every attempt is made to embody the highest degree of safety in all products, freedom from injury cannot be guaranteed. The user assumes all risk of injury resulting from the use of this product. All merchandise is sold on this condition, and no representative of the company may waive or change this policy.
5. This warranty is in lieu of all other warranties expressed or implied, including warranties of merchantability or fitness for use to the extent permitted by Federal and state law. Neither Lifetime Products, Inc. nor any representative assumes any other liability in connection with this product. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

### **PLEASE INCLUDE YOUR DATED SALES RECEIPT AND PHOTOGRAPHS OF DAMAGED PARTS.**

REPORT PRODUCT DEFECTS IN WRITING TO:  
Lifetime Products, Inc., PO Box 160010 Clearfield, UT 84016-0010  
or call 1-800-225-3865 M-F 7 a.m. to 5 p.m. MST.

### **REGISTER YOUR PRODUCT FOR QUICKER CUSTOMER SERVICE.**

Visit [www.lifetime.com](http://www.lifetime.com) or call 1-800-225-3865 to register your product today

### **FOR INTERNATIONAL WARRANTY CLAIMS:**

All warranty claims must be accompanied by a sales receipt. Report all warranty claims in writing to your regional sales support representative. Please include your dated sales receipt and photographs of damaged parts.

To Identify the representative for your region — Please visit: [www.lifetime.com/international](http://www.lifetime.com/international)



©Lifetime Products, Inc.